



SPECIFICATION

ITEM NO.	DESCRIPTION
I.	<p><u>Earth Works</u> Site Preparation Clearing and Grubbing, Grading Building Layout Structural Excavation Backfill and Compaction 3/4" - 1"Ø Gravel Beding Soil Treatment (If Necessary)</p>
II.	<p><u>Concrete Works</u> <u>(Minimum ultimate compressive strength of 21 Mpa at 28 days)</u> Slab on Fill Basketball Court: (0.15m Thick) Stage Suspended Floor Slab Roof Deck Slab Bleachers Column Beams and Girders Stair Water Proofing Testing of Sample</p>
III.	<p><u>Reinforcing Steel Works</u> <u>(Reinforcing steel bars shall have a minimum yield strength of 276 Mpa)</u> Slab on Fill Basketball Court Stage Suspended Floor Slab Roof Deck Slab Bleachers Column Beams and Girders Stair</p>
IV.	<p><u>Formworks</u> Formworks and Scaffoldings</p>
V.	<p><u>Roof Framing Works</u> 8"Ø G.I. Pipe Sched. 80 6"Ø G.I. Pipe Sched. 80 4"Ø G.I. Pipe Sched. 80 2" x 6" x 1.2mm Thick C-Purlins 9mmØ x 6m Round Bar</p>
VI.	<p><u>Roofing Works</u> 1.20m x 0.6mm Thick Roofing Sheet 5mm Double Sided Insulation Foam</p>

VII.

State of the art Facility

LED Smart TV Monitor or LED Panel (65" Smart 4k UHD TV)